

PUBLIC ADDRESS / LOUDSPEAKERS / CEILING

# GA-258

LOW IMPEDANCE CEILING SPEAKER



- ✓ Crisp and clean sound
- ✓ Halogen spotlight size
- ✓ Quick installation system

ESPECIALLY RECOMMENDED IN:



All sectors



+ Info:  
<https://fonestar.com/GA-258>

## DESCRIPTION

Halogen spotlight size ceiling loudspeaker

Its small size makes it unnoticeable in any installation.

It delivers crisp, clean sound, perfect for both speech and piped music.

It stands out for its large coverage angle of 130°, which allows it to cover a larger area depending on the height of the ceiling. It has a quick installation system that minimizes assembly time.

## TECHNICAL CHARACTERISTICS

|              |  |
|--------------|--|
| FEATURES     | Ceiling loudspeaker with low impedance and round grille. Halogen bulb sized. |
| POWER        | 10 W maximum, 6 W RMS  |
| LOUDSPEAKERS | 2 ½"   |
| RESPONSE     | 190-18,000 Hz  |
| IMPEDANCE    | 8 Ohm  |
| SENSITIVITY  | 86 dB at 1 W/1 m   |
| DISPERSION   | 130°   |
| MATERIAL     | ABS and steel grille   |
| COLOUR       | Greyish white (RAL 9003, RAL 7047)   |
| DIMENSIONS   | 100 mm Ø x 70 mm depth   |



+ Info:  
<https://fonestar.com/GA-258>

|        |                           |
|--------|---------------------------|
| HOLE   | 92 mm Ø                   |
| WEIGHT | 0.34 kg                   |
|        | Quick installation system |



+ Info:  
<https://fonestar.com/GA-258>