

ASSIST-VOIP1200P10

VOIP ROOM CONTROL UNIT WITH 10" TOUCH SCREEN.



DESCRIPTION

VoIP room control unit with 10" touch screen

TECHNICAL CHARACTERISTICS



Expand product information on:
<https://fonestar.com/es/ASSIST-VOIP1200P10>

FEATURES	<p>VoIP room control unit with 10" touch screen, intercom and RFID reader. Management of patient alerts by healthcare personnel. Creation of emergency codes: code blue, white, etc. Help solicitation from the rest of the healthcare personnel. Configuration of the call elements of the room. Connection of the room elements, up to 3 call units and 1 lighting control unit ASSIST-IP1200L. Connection to TCP/IP data network. Full-duplex communication with SIP protocol. PoE power supply. Surface or recessed mounting.</p>
INPUTS	<p>1 x RJ-45 for Ethernet data network 3 x RJ-45 for call units and lighting control modules ASSIST-IP1200LCM</p>
OUTPUTS	<p>1 x RJ-45 for corridor indicator light ASSIST-1200L</p>
CARD READER	<p>Classic RFID MIFARE</p>
SCREEN	<p>10" IPS color touch Resolution 1024 x 768</p>
OPERATING SYSTEM	<p>Android based on Linux 4</p>
MEMORY	<p>2 GB RAM 8 GB ROM</p>
COMMUNICATION	<p>TCP/IP, UDP, HTTP, RS-485, SIP</p>
MATERIAL	<p>Fireproof and flame retardant ABS</p>
OPERATING TEMPERATURE RANGE	<p>-10° C to + 60° C Recommended humidity 30%-80%</p>
COLOUR	<p>White (RAL 9010)</p>
POWER SUPPLY	<p>PoE</p>



Expand product information on:
<https://fonestar.com/es/ASSIST-VOIP1200P10>

DIMENSIONS	265x 210 x 40 mm depth.
WEIGHT	0.5 kg



Expand product information on:
<https://fonestar.com/es/ASSIST-VOIP1200P10>