

PUBLIC ADDRESS / LOUDSPEAKERS / SURFACE

ELIPSE-8T

100 V LINE TRANSFORMER, LOW IMPEDANCE SURFACE SPEAKER PAIR







Excellent sound quality



Excellent finish and elegant design



IP-56 protection



Adjustable fixing mounts included

ESPECIALLY RECOMMENDED IN:



All sectors



+ Info:

https://fonestar.com/ELIPSE-8T



DESCRIPTION

Pair of surface-mount loudspeakers with 100 V line transformer and low impedance.

The ELIPSE range is specially designed for PA and surround sound applications. The speakers feature excellent finish, elegant design, high power capacity and durability. They include a wall mount that can be swivelled in all directions for easy installation.

Prepared for outdoor use, water protection and anti-corrosion materials.

They are a great solution for installations in public places such as restaurants, cafés, supermarkets, shopping centres, etc.

TECHNICAL CHARACTERISTICS

POWER 120 W maximum, 60 W RMS
LOUDSPEAKERS 1 x 8" polypropylene woofer 1 x 1" silk dome tweeter
30-20,000 Hz RESPONSE
High Z 100 V line: 200 Ohm (50 W) 400 Ohm (25 W) 800 Ohm (12.5 W) 1,600 Ohm (6.25 W) Low Z: 8 Ohm
90 dB at 1 W/1 m
W selector in high Z and low Z SWITCH
PROTECTION IP-56



+ Info:

https://fonestar.com/ELIPSE-8T



MATERIALS	Aluminium grille Weatherproof mount Stainless steel screws
CONNECTORS	Spring terminals
COLOUR	Black (RAL 9017)
DIMENSIONS	244 x 378 x 240 mm depth
WEIGHT	2 x 5 kg
ACCESSORIES	Adjustable fixing mounts



+ Info:

https://fonestar.com/ELIPSE-8T