

PUBLIC ADDRESS / LOUDSPEAKERS / CEILING

GA-5027

LOW IMPEDANCE CEILING SPEAKER



- ✓ Excellent sound quality
- ✓ Excellent finish and elegant design
- ✓ Anchorage installation system

ESPECIALLY RECOMMENDED IN:



All sectors



+ Info:
<https://fonestar.com/GA-5027>

DESCRIPTION

Coaxial ceiling loudspeaker for public address systems

It delivers crisp, clean and rich sound, making it perfect for voice and musical ambience.

It has a body made of ABS and a protective steel grille that guarantees its integrity.

Its simple anchor installation system minimises assembly time, with the screws being completely hidden behind the grille.

For background music and voice announcements in low-impedance installations in offices, shops, restaurants, waiting rooms, etc.

TECHNICAL CHARACTERISTICS

FEATURES	Low impedance coaxial ceiling loudspeaker with round grille.
POWER	40 W maximum, 25 RMS
LOUDSPEAKERS	5 ¼" coaxial
RESPONSE	60-20,000 Hz
IMPEDANCE	8 Ohm
SENSITIVITY	87 dB at 1 W/1 m
DISPERSION	130°
MATERIAL	ABS and steel grille
COLOUR	Greyish white (RAL 9003, RAL 7047)



+ Info:
<https://fonestar.com/GA-5027>

DIMENSIONS	204 mm Ø x 70 mm depth
HOLE	165 mm Ø
WEIGHT	1 kg
	Quick installation system with catches



+ Info:
<https://fonestar.com/GA-5027>