

PUBLIC ADDRESS / LOUDSPEAKERS / SOUND PROJECTORS

PF-19T

UNIDIRECTIONAL SOUND PROJECTOR



- ✓ Excellent sound quality
- ✓ Large coverage angle
- ✓ IP-44 protection

ESPECIALLY RECOMMENDED IN:



All sectors



+ Info:
<https://fonestar.com/PF-19T>

DESCRIPTION

High impedance sound projector

Sound projector with great features, design and construction.

Its features make it very suitable for indoor or outdoor public address installations, with IP-44 protection.

ABS built with a sealed case, ensuring its integrity and operation in harsh environments.

It delivers crisp, clean sound, perfect for both public address applications and background music.

With a coverage angle of 150° and a sensitivity of 94 dB at 1 W/1 m, they can reach large distances and cover large areas.

Includes stainless steel fixing mount for easy installation, minimizing assembly time.

For public address and background music applications in 100 V line installations in shopping centres, schools, hospitals, sports facilities, industrial buildings, etc.

TECHNICAL CHARACTERISTICS

FEATURES	Sound projector with 100, 70 and 50 V line transformer.
POWER	30 W maximum, 20 W RMS
LOUDSPEAKERS	6 ½"
RESPONSE	100-20,000 Hz
IMPEDANCE	20 W RMS@100 V (500 Ohm) 10 W RMS@100 V (1.000 Ohm) 5 W RMS@100 V (2.000 Ohm)
SENSITIVITY	94 dB at 1 W/1 m
DISPERSION	150°
PROTECTION	IP-44



+ Info:
<https://fonestar.com/PF-19T>

MATERIAL	ABS. Hermetic casing Stainless steel stand
COLOUR	White (RAL 9001)
DIMENSIONS	180 mm Ø x 251 mm depth
WEIGHT	2.1 kg
ACCESSORIES	Adjustable fixing mount



+ Info:
<https://fonestar.com/PF-19T>