

PUBLIC ADDRESS / LOUDSPEAKERS / SURFACE

SONORA-5AB

ACTIVE SURFACE SPEAKER



- ✓ Crisp, distortion-free sound
- ✓ Excellent finish and elegant design
- ✓ Class D amplifier with passive speaker output
- ✓ Automatic standby function
- ✓ Quick and easy installation

ESPECIALLY RECOMMENDED IN:



All sectors



+ Info:

<https://fonestar.com/SONORA-5AB>

DESCRIPTION

Active loudspeaker

Based on our extensive experience in the sound sector, FONESTAR has created SONORA.

SONORA is a series of speakers specially designed for PA, musical and background sound applications. Its excellent finish and elegant design allow perfect integration in any space.

A highly efficient and reliable class D active speaker with low maintenance protection circuitry, which provides high sound quality with defined, distortion-free sound.

In addition, it features tone and volume controls, mono/stereo selector and automatic standby.

Thanks to its 8 Ohm passive speaker output, you can enjoy stereo sound, adding the SONORA-5B. SONORA-5B.

They include all the necessary accessories for easy and quick installation: adjustable fixing mount, stainless steel screws and steel safety cable.

For public address, music and ambient sound applications in public places such as restaurants, cafés, supermarkets, shopping centres, etc.

TECHNICAL CHARACTERISTICS

FEATURES	<p>Active loudspeaker.</p> <p>Class D amplifier with passive speaker output.</p> <p>High sound quality, clear and distortion-free sound.</p> <p>Tone and volume controls.</p> <p>Mono/stereo selector.</p> <p>Automatic standby function.</p>
AMPLIFIER	<p>25 + 25 W RMS</p>
LOUDSPEAKERS	<p>1 x 5 ¼" polypropylene woofer</p> <p>1 x 1" tweeter</p>
RESPONSE	<p>80-20.000 Hz</p>
INPUTS	<p>1 stereo aux, 3.5 mm jack (unbalanced) or euroblock (balanced), 750 mV RMS</p> <p>1 x RJ-45 (future applications)</p>




+ Info:

<https://fonestar.com/SONORA-5AB>

OUTPUTS	1 passive loudspeaker, 8 Ohm, euroblock
CONTROLS	Volume Tone: bass and treble Mono/stereo selector
MATERIAL	ABS Aluminium grille Stainless steel screws
TEMPERATURE RANGE	-10°C ~ 60°C
COLOUR	White (RAL 9003)
POWER SUPPLY	230 V AC, 60 W 115 V AC upon request
DIMENSIONS	162 x 262 x 147 mm depth Loudspeaker: 162 x 263 x 147 mm depth Mount wall plate: 68 x 110 mm Loudspeaker with mount: 216 mm depth
WEIGHT	2.7 kg
ACCESSORIES	Adjustable mounting bracket ± 60° in all directions. Steel safety cable




+ Info:
<https://fonestar.com/SONORA-5AB>




FONESTAR	Model	Description	Units	Scale
	SONORA-5AB+SONORA-5AN	ACTIVE SURFACE SPEAKER	mm	1:3

SPL vs Frequency



SPL vs Angle



+ Info
<https://fonestar.com/SONORA-5AB>