


CONNECTION AND WIRING / WIRING / CABLE REELS

CH-124

2-CONDUCTOR 5 DATA CABLES CABLE ROLL



- ✓ High quality cable
- ✓ 1.4 HDMI
- ✓ UHD 4K@30Hz resolution
- ✓ High-speed data transfer with ethernet and audio return channel
- ✓ 28 AWG



+ Info:
<https://fonestar.com/CH-124>

ESPECIALLY RECOMMENDED IN:



All sectors

DESCRIPTION

High Speed HDMI cable with Ethernet designed and tested to handle video resolutions from 1080p up to 4K@30Hz with support up to 10.2 Gbps.



+ Info:
<https://fonestar.com/CH-124>

TECHNICAL CHARACTERISTICS

FEATURES

REEL

High Speed HDMI cable with Ethernet designed and tested to handle video resolutions of 1080p and up to 4K@30Hz with support up to 10.2 Gbps for lengths of 12-15 m. Professional shielded cable for HDMI connections of 5 shielded data cables of 2 twisted conductors, 4 switching and drainage cables. Special for connecting monitors, projectors, etc.

Outer cover: 7.3 mm Ø, PVC black

Shield: 80 twisted 0.12 mm Ø aluminium wires and mylar aluminium tape

Drainage: 7 tinned Cu wires of 0.12 mm Ø

5 shielded data cables of 2 twisted conductors:

Outer cover: 2 mm Ø, transparent mylar tape

Shield: Mylar aluminium tape

Drainage: 7 tinned Cu wires of 0.12 mm Ø

2 twisted conductors:

Conductor cover: 1 mm Ø, red, blue, green, brown, black or white

Conductor: 7 tinned Cu wires of 0.12 mm Ø (28 AWG)

4 switching cables:

Outer cover: 0.65 mm Ø, red, pink, white or grey

Conductor: 7 tinned Cu wires of 0.12 mm Ø 28 AWG

100 m



+ Info:
<https://fonestar.com/CH-124>