

PUBLIC ADDRESS / SPEAKERS / CEILING

SPEAK-5

LOW IMPEDANCE CEILING SPEAKER



- ✓ Crisp and clean sound
- ✓ Stylish, low-profile, frameless design
- ✓ Perfect for background music

ESPECIALLY RECOMMENDED IN:



Retail



Offices



Hotels



All sectors



+ Info:
<https://fonestar.com/SPEAK-5>

DESCRIPTION




Low impedance ceiling loudspeaker. Sleek design with low-profile, frameless grille which minimises visual impact. Heavy-duty aluminium grille. Crisp, clean sound, great frequency response (full-range), perfect for music ambience. Easy connection and quick installation. Ideal for small sound systems in waiting rooms, small shops, homes, etc.

TECHNICAL CHARACTERISTICS

FEATURES	Low impedance ceiling loudspeaker. Low-profile round grille frameless design. Heavy-duty aluminium grille. Crisp and clean sound, perfect for music ambience.
POWER	10 W RMS
LOUDSPEAKERS	5" double cone
RESPONSE	130-15,000 Hz
IMPEDANCE	8 Ohm
SENSITIVITY	90 dB at 1 W/1 m
MAXIMUM SOUND PRESSURE	100 dB @ full power/1m
MATERIAL	ABS and aluminium grille
CONNECTORS	Fast-press connection
COLOUR	White (RAL 9003)
DIMENSIONS	160 mm Ø x 55 mm depth
HOLE	145 mm Ø
WEIGHT	0.35 kg
	Quick installation system



+ Info:
<https://fonestar.com/SPEAK-5>



FONESTAR	Model	Description	Units	Scale
	SPEAK-5	LOW IMPEDANCE CEILING SPEAKER	mm	1:2