

DATA SHEET

CONNECTION AND WIRING / WIRING / CONNECTIONS



AUDIO CABLE TRS 6.3 MM JACK TO MALE XLR



OOO

Balanced connection with TRS 6.3 mm jack to XLR male connectors, 1.5 m long

Manufactured with high quality materials for durability

ESPECIALLY RECOMMENDED IN:



All sectors

+ Info:



FONESTAR

https://fonestar.com/SM-672

Poligono Trascueto. 39600 Revilla de Camargo. Cantabria (España)



DESCRIPTION

Professional audio cable for balanced connections

The SM-672 is a high-quality audio cable that guarantees a balanced connection between audio devices, thanks to its 6.3 mm TRS jack and XLR male connector. Designed to ensure clear, interference-free signal transmission, this cable is ideal for recording studios, live sound equipment, and any professional audio application.

Reliable performance and durability

The SM-672 cable is composed of high-quality materials for superior performance and long-term durability:

Balanced connection reduces noise and interference, ensuring impeccable audio quality.

High purity copper in the conductors, consisting of 30 wires of 0.1 mm diameter, protected by a polyethylene (PE) sheath to ensure perfect insulation.

Structural reinforcement with cotton threads and aluminium Mylar shielding with stranded wires (96 wires of 0.1 mm CCS), guaranteeing greater resistance to electromagnetic interference.

6 mm diameter PVC outer sheath provides flexibility and protection, ideal for continuous use in demanding environments.

Why choose SM-672?

The SM-672 cable is the perfect choice for those looking for a reliable and professional solution for their audio connections. Its features and quality construction ensure clear and stable signal transmission, making it a must-have in sound installations where audio quality is paramount:

Balanced connection ideal for audio line signals.

High resistance and flexibility to adapt to different usage environments.

Quality shielding protects against external interference, ensuring a clear signal.

TRS 6.3 mm jack

This cable is intended for all types of users, from sound professionals to music enthusiasts who require a reliable product in their audio installations.

TECHNICAL CHARACTERISTICS

CONNECTOR A

CONNECTOR B Male XLR



https://fonestar.com/SM-672

+ Info:

FONESTAR Poligono Trascueto.

Poligono Trascueto. 39600 Revilla de Camargo. Cantabria (España)



CHARACTERISTICS	Balanced connection. Internal structure consisting of, Two cables with copper conductors (30 wires / 0.1 mm Ø) and PE sheath (1.8 mm Ø). Structural reinforcement with cotton threads. Shielding with aluminium Mylar foil and stranded wires (96 wires / 0.1 mm Ø CCS). PVC outer casing (6 mm Ø). Special for balanced line signal connection.
COLOUR	Black
LENGTH	1.5 m



FONESTAR

https://fonestar.com/SM-672

+ Info:

Poligono Trascueto. 39600 Revilla de Camargo. Cantabria (España)